

Active Recombinant Human IL6ST protein, His&hFc-tagged

Cat. No. IL6ST-1380H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Active Recombinant Human IL6ST protein(Met 1-Ile 618)(NP_002175.2) was expressed in HEK293, fused with the C-terminal polyhistidine-tagged Fc region of human IgG1 at the C-terminus.
Species	Human
Source	HEK293
ProteinLength	1-618 aa
Form	Lyophilized from sterile PBS, pH 7.4.
Bio-activity	1. Measured by its ability to bind human IL11Ra in a functional ELISA. 2. Measured by its ability to inhibit the IL6 Rα enhancement of IL6 activity on M1 mouse myeloid leukemia cells (Saito, T. et al. 1991, J. Immunol. 147:168.). The ED50 for this effect is typically 0.05-0.15 µg/ml in the presence of 50 ng/ml recombinant human IL6sR and 100 ng/ml recombinant human IL6.
Molecular Mass	The recombinant human IL6ST/Fc is a disulfide-linked homodimer after removal of the signal peptide. The reduced monomer consists of 844 amino acids and has a predicted molecular mass of 96 kDa. In SDS-PAGE under reducing conditions, the apparent molecular mass of rh IL6ST/Fc monomer is approximately 125-140 kDa due to glycosylation.
Endotoxin	< 1.0 EU per

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	µg of the protein as determined by the LAL method.
Purity	> 95 % as determined by SDS-PAGE
Storage	Store it under sterile conditions at -20°C to -80°C upon receiving. Recommend to aliquot the protein into smaller quantities for optimal storage. Avoid repeated freeze-thaw cycles.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.
protein Refseq-Weblink	http://www.ncbi.nlm.nih.gov/protein/NP_001177910.1
Unit ID	P40189
Unit ID-Weblink	http://www.uniprot.org/uniprot/P40189

GENE INFORMATION

Gene Name	IL6ST interleukin 6 signal transducer (gp130, oncostatin M receptor) [Homo sapiens]
Official Symbol	IL6ST
Synonyms	IL6ST; interleukin 6 signal transducer (gp130, oncostatin M receptor); interleukin-6 receptor subunit beta; CD130; GP130; CD130 antigen; IL-6R subunit beta; membrane glycoprotein 130; IL-6 receptor subunit beta; membrane glycoprotein gp130; interleukin receptor beta chain; oncostatin-M receptor subunit alpha; gp130 of the rheumatoid arthritis antigenic peptide-bearing soluble form; CDW130; IL-6RB; DKFZp564F053;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Gene ID	3572
mRNA Refseq	NM_001190981
protein Refseq	NP_001177910
MIM	600694
SDS-PAGE	