

Recombinant Human CCL14 Protein, Mature chain, Tag Free, Biotinylated

Cat. No. CCL14-110H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human HCC-1 (CCL14) protein was developed from E. coli.
Species	Human
Source	E.coli
ProteinLength	Mature chain
Description	This gene, chemokine (C-C motif) ligand 14, is one of several CC cytokine genes clustered on 17q11.2. The CC cytokines are secreted proteins characterized by two adjacent cysteines. The cytokine encoded by this gene induces changes in intracellular calcium concentration and enzyme release in monocytes. Multiple transcript variants encoding different isoforms have been found for this gene. Read-through transcripts are also expressed that include exons from the upstream cytokine gene, chemokine (C-C motif) ligand 15.
Conjugation/Label	Biotin
Form	Lyophilised
Endotoxin	Endotoxin level was found to be less than 0.1 ng/μg (1 EU/μg).
Applications	ELISA, WB

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Notes	FOR RESEARCH USE ONLY (RUO).
Storage	The lyophilized protein is stable for at least 1 year from date of receipt at -20 centigrade. Upon reconstitution, this cytokine can be stored in working aliquots at -20 centigrade for six months, with a carrier protein without detectable loss
Storage Buffer	Lyophilised from 0.2 µm filtered PB, 100mM NaCl solution pH 7.5.
Reconstitution	Upon receipt a quick spin of the vial followed by reconstitution in distilled water to a concentration not less than 0.1 mg/mL. This solution can then be diluted into other buffers.
Conjugation	Biotin
GENE INFORMATION	
Gene Name	CCL14 chemokine (C-C motif) ligand 14 [Homo sapiens (human)]
Official Symbol	CCL14
Synonyms	CCL14; chemokine (C-C motif) ligand 14; SCYA14, small inducible cytokine subfamily A (Cys Cys), member 14; C-C motif chemokine 14; CKb1; HCC 1; HCC 3; MCIF; NCC 2; SCYL2; chemokine CC-3; new CC chemokine 2; chemokine CC-1/CC-3; hemofiltrate CC chemokine 1; small-inducible cytokine A14; small inducible cytokine subfamily A (Cys-Cys), member 14; CC-1; CC-3; CKB1; NCC2; SY14; HCC-1; HCC-3; NCC-2; SCYA14; HCC-1(1-74); HCC-1/HCC-3; FLJ16015;
Gene ID	6358
mRNA Refseq	NM_032962

Protein Refseq	NP_116738
MIM	601392
UniProt ID	Q16627

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA