

Recombinant Human NECTIN2 protein, His-Avi-tagged, Biotinylated

Cat. No. NECTIN2-189H **Lot. No.** (See product label)


SPECIFICATION

Product Overview	Biotinylated Recombinant Human NECTIN2 protein(Q92692)(Gln32-Leu360), fused with C-terminal His and Avi tag, was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	Gln32-Leu360
Tag	C-His-Avi
Conjugation/Label	Biotin
Form	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose and 0.01% tween is added as protectant before lyophilization.
Bio-activity	Immobilized Biotinylated Human Nectin-2, His Tag at 2ug/ml (100ul/well) on the streptavidin precoated plate (5ug/ml). Dose response curve for Human TIGIT, hFc Tag with the EC50 of 0.13ug/ml determined by ELISA.
Molecular Mass	The protein has a predicted MW of 38.4 kDa. Due to glycosylation, the protein migrates to 45-50 kDa based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per µg by the LAL method.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	> 95% as determined by Tris-Bis PAGE; > 95% as determined by HPLC
Storage	Reconstituted protein stable at -80°C for 12 months, 4°C for 1 week. Use a manual defrost freezer and avoid repeated freeze-thaw cycles.
Reconstitution	Centrifuge tubes before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Conjugation	Biotin
Tris-Bis PAGE	 The image shows a Tris-Bis PAGE gel. On the left, molecular weight markers (MK) are labeled from 140KD down to 10KD in increments of 10KD. On the right, a single protein band (R) is visible at approximately 50KD.

ELISA Data

Biotinylated Human Nectin-2, His Tag ELISA

0.2 µg Biotinylated Human Nectin-2, His Tag Per Well



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA