

## Recombinant Human WIPI1 293 Cell Lysate

Cat. No. WIPI1-310HCL    Lot. No. (See product label)

### SPECIFICATION

#### Product Overview

|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Species             | Human                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Source              | HEK293                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Description         | Antigen standard for WD repeat domain, phosphoinositide interacting 1 (WIPI1) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.                                                                                           |
| Components          | This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol). |
| Size                | 0.1 mg                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Storage Instruction | Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.                                                                                                                                                                                                                                                                   |

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

**Applications**

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

**GENE INFORMATION**
**Gene Name**

WIPI1 WD repeat domain, phosphoinositide interacting 1 [ Homo sapiens ]

**Official Symbol**

WIPI1

**Synonyms**

WIPI1; WD repeat domain, phosphoinositide interacting 1; WD repeat domain phosphoinositide-interacting protein 1; Atg18; ATG18A; FLJ10055; WIPI49; WIPI 49 kDa; WIPI-1 alpha; atg18 protein homolog; WD40 repeat protein Interacting with phospholinositides of 49kDa; WD40 repeat protein interacting with phosphoinositides of 49 kDa; ATG18;

**Gene ID**

55062

**mRNA Refseq**

NM\_017983

**Protein Refseq**

NP\_060453

**MIM**

609224

**UniProt ID**

Q5MNZ9

**Chromosome  
Location**

17q24.2

**Pathway**

Activation of Chaperone Genes by XBP1(S), organism-specific biosystem; Activation of Chaperones by IRE1alpha, organism-specific biosystem; Diabetes pathways,

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

organism-specific biosystem; Disease, organism-specific biosystem; Unfolded Protein Response, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA