

Recombinant Human EXOSC10 protein(691-850 aa), C-His-tagged

Cat. No. EXOSC10-2815H **Lot. No.** (See product label)

SPECIFICATION	
Product Overview	Recombinant Human EXOSC10 protein(Q01780)(691-850 aa), fused with C-terminal His tag, was expressed in E. coli.
Species	Human
Source	E.coli
ProteinLength	691-850 aa
Form	0.15 M Phosphate buffered saline
Molecular Mass	19.5 kDa
Storage	Shipped on dry ice. Avoid repeated freeze-thaw cycles. Upon receipt, 2 days when stored at 2 to 8 °C after thawing. Up to 12 months when aliquoted and stored at -20 to -80°C.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.
AA Sequence	PFRMFLPSLGH RAPVSQAAK FDPSTKIYEISNRWKLAQVQVQKDSKEAVKKKAAEQ TAAREQAKEACKAAAEQAISVRQQV VLENAAKKRERATSDPR TTEQKQEKRLKISK KPKDPEPPEKEFTPYDYSQSDFKAFAGNSKSKVSSQFDPNKQTPSGK

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

GENE INFORMATION


Gene Name	EXOSC10 exosome component 10 [Homo sapiens]
Official Symbol	EXOSC10
Synonyms	EXOSC10; exosome component 10; PMSCL2, polymyositis/scleroderma autoantigen 2, 100kDa; p2; p3; p4; PM Scl; PM/Scl 100; polymyositis/scleroderma autoantigen 2 (100kD); RRP6; Rrp6p; autoantigen PM-SCL; autoantigen PM/Scl 2; polymyositis/scleroderma autoantigen 100 kDa; polymyositis/scleroderma autoantigen 2, 100kDa; P100 polymyositis-scleroderma overlap syndrome-associated autoantigen; PMSCL; PM-Scl; PMSCL2; PM/Scl-100;
Gene ID	5394
mRNA Refseq	NM_001001998
Protein Refseq	NP_001001998
MIM	605960
UniProt ID	Q01780

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

SDS-PAGE



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA