Recombinant Dog CCL17 protein(24-99aa), MBP&His-Avi-tagged, Biotinylated

Cat. No. CCL17-6432D **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Biotinylated Recombinant Dog CCL17 protein(Q95N01)(24-99aa), fused with N-terminal MBP tag and C-terminal His and Avi tag, was expressed in E.coli.
Species	Dog
Source	E.coli
ProteinLength	24-99aa
Conjugation/Label	Biotin
Form	If the delivery form is liquid, the default storage buffer is Tris/PBS-based buffer, 5%-50% glycerol. If the delivery form is lyophilized powder, the buffer before lyophilization is Tris/PBS-based buffer, 6% Trehalose, pH 8.0.
Molecular Mass	56.4 kDa
Purity	Greater than 85% as determined by SDS-PAGE.
Storage	Store at -20°C/-80°C upon receipt, aliquoting is necessary for mutiple use. Avoid repeated freeze-thaw cycles.
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a


Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

	concentration of 0.1-1.0 mg/mL.We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C.
AA Sequence	ARGTNVGRECCLEYFKGAIPISRLTRWYKTSGECPKDAIVFVTVQGKSICSDPKDKR VKKAVRYLQRTWKGGPQES
Conjugation	Biotin

GENE INFORMATION

Gene Name	CCL17 chemokine (C-C motif) ligand 17 [Canis lupus familiaris]
Official Symbol	CCL17
Synonyms	CCL17; chemokine (C-C motif) ligand 17; C-C motif chemokine 17; CC chemokine TARC; small-inducible cytokine A17; thymus and activation-regulated chemokine; TARC;
Gene ID	403586
mRNA Refseq	NM_001003051
Protein Refseq	NP_001003051

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

SDS-PAGE	

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA