

Recombinant Mouse Gpx3 Protein, 202 residues

Cat. No. Gpx3-13M **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Mouse Glutathione Peroxidase 3 (Non-tagged, signal peptide removed, 202 residues)
Species	Mouse
ProteinLength	202 residues
Description	The protein encoded by this gene belongs to the glutathione peroxidase family, members of which catalyze the reduction of organic hydroperoxides and hydrogen peroxide (H₂O₂) by glutathione, and thereby protect cells against oxidative damage. Several isozymes of this gene family exist in vertebrates, which vary in cellular location and substrate specificity. This isozyme is secreted and is highly expressed in mouse kidney, which appears to be the major source of the enzyme in plasma. It has a role in mouse organogenesis, and dysregulation of this isozyme has been associated with obesity-related metabolic complications, platelet-dependent thrombosis, colitis-associated carcinoma, and thermosensitive phenotype. This isozyme is also a selenoprotein, containing the rare amino acid selenocysteine (Sec) at its active site. Sec is encoded by the UGA codon, which normally signals translation termination. The 3' UTRs of selenoprotein mRNAs contain a conserved stem-loop structure, designated the Sec insertion sequence (SECIS) element, that is necessary for the recognition of UGA as a Sec codon, rather than as a stop signal. Alternatively spliced transcript variants have been found for this gene.
Purity	≥ 95% as judged by gel analysis

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Unit definition	1 U of enzyme consumes 1 μ mol GSH per min in a Glutathione Reductase-coupled GPx assay containing 1 mM GSH, 0.5 mM Cumene Hydroperoxide, 15 nM Human Glutathione Reductase and 0.5 mM NADPH in TE buffer (50 mM Tris-HCl, 2 mM EDTA, pH 7.5)
Applications	Glutathione Reductase-coupled GPx assay; Inhibitor screening; etc.
Notes	Centrifuge the tube briefly before opening the lid.
Concentration	1 mg/mL
Storage Buffer	25 mM Tris-HCl (pH 8.0) with 250 mM KCl, 2 mM 2-Mercaptoethanol and 10% glycerol.
Shipping	Shipped in cold pack by courier service. Store at -20 centigrade upon delivery.
References	1. Cheng Q, Arnér ES. (2017) Selenocysteine Insertion at a Predefined UAG Codon in a Release Factor 1 (RF1)-depleted Escherichia coli Host Strain Bypasses Species Barriers in Recombinant Selenoprotein Translation. J Biol Chem. 292:5476-5487.

GENE INFORMATION

Gene Name	Gpx3 glutathione peroxidase 3 [Mus musculus]
Official Symbol	Gpx3
Synonyms	GPX3; glutathione peroxidase 3; GPx-3; GPx-P; plasma GPx; extracellular GPx; plasma glutathione peroxidase; GPx; EGPx; GSHPx-3; GSHPx-P; AA960521
Gene ID	14778

 Tel: 1-631-559-9269 1-516-512-3133


 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mRNA Refseq NM_008161

Protein Refseq NP_032187

Coomassie stained
SDS-PAGE analysis
of 15 µg MGPX3.



Lane 1: Molecular weight marker (Bio-Rad Dual Color)

Lane 2: MGPX3

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA