

Recombinant Mouse Cxcl15 protein, His&Myc-tagged

Cat. No. Cxcl15-533M **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Mouse Cxcl15 protein(Q9WVL7)(26-167aa), fused with N-terminal His tag and C-terminal Myc tag, was expressed in E.coli.
Species	Mouse
Source	E.coli
ProteinLength	26-167aa
Form	If the delivery form is liquid, the default storage buffer is Tris/PBS-based buffer, 5%-50% glycerol. If the delivery form is lyophilized powder, the buffer before lyophilization is Tris/PBS-based buffer, 6% Trehalose, pH 8.0.
Molecular Mass	23.8 kDa
Purity	Greater than 90% as determined by SDS-PAGE.
Storage	Store at -20°C/-80°C upon receipt, aliquoting is necessary for mutiple use. Avoid repeated freeze-thaw cycles.
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

AA Sequence QELRCLCIQEHSEFIPLKLIKIMVIFETIYCNRKEVIAVPKNGSMICLDPDAPWVKATV
GPITNRFLPEDLKQKEFPPAMKLLYSVEHEKPLYLSFGRPENKRIFPFPIRETSRHFA
DLAHNSDRNFLRDSSEVSLTGSDA

GENE INFORMATION

Gene Name Cxcl15 chemokine (C-X-C motif) ligand 15 [*Mus musculus*]

Official Symbol Cxcl15

Synonyms CXCL15; chemokine (C-X-C motif) ligand 15; C-X-C motif chemokine 15; small-inducible cytokine B15; small inducible cytokine subfamily B, member 15; weche; Scyb15; lungkine;

Gene ID 20309


mRNA Refseq NM_011339

Protein Refseq NP_035469

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

SDS-PAGE

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA