

Recombinant Human ITIH4 Protein, Full Length, C-6×His tagged

Cat. No. ITIH4-43HFL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human ITIH4 Protein (full length) with a C-terminal 6-His tag was expressed in Chinese Hamster Ovary cell line.
Species	Human
Source	CHO
ProteinLength	Full Length
Description	The protein encoded by this gene is secreted into the blood, where it is cleaved by plasma kallikrein into two smaller forms. Expression of this gene has been detected only in liver, and it seems to be upregulated during surgical trauma. This gene is part of a cluster of similar genes on chromosome 3. Two transcript variants encoding different isoforms have been found for this gene.
Bio-activity	Measured by its binding ability in a functional ELISA. When Recombinant Human ITIH4 is immobilized at 2 µg/mL (100 µL/well), the concentration of Recombinant Human TSG-6 that produces 50% of the optimal binding response is 5-25 µg/mL.
Molecular Mass	Predicted Molecular Mass: 101 kDa SDS-PAGE: 113-117 kDa, under reducing conditions
Endotoxin	< 0.10 EU/µg of the protein by the LAL method.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	> 95%, by SDS-PAGE visualized with Silver Staining and quantitative densitometry by Coomassie Blue Staining.
N-terminal Sequence Analysis	Glu29
Storage	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70 centigrade as supplied. 1 month, 2 to 8 centigrade under sterile conditions after reconstitution. 3 months, -20 to -70 centigrade under sterile conditions after reconstitution.
Storage Buffer	Lyophilized from a 0.2 µm filtered solution in Tris and NaCl.
Shipping	The product is shipped at ambient temperature.
Reconstitution	Reconstitute at 500 µg/mL in PBS.
References	1. Nishimura, H. et al. (1995) FEBS Lett. 357:207. 2. Salier, JP et al. (1996) Biochem. J. 315:1. 3. Zhuo, L. et al. (2004) J. Biol. Chem. 279:38079.

GENE INFORMATION

Gene Name	ITIH4 inter-alpha-trypsin inhibitor heavy chain family, member 4 [Homo sapiens (human)]
Official Symbol	ITIH4
Synonyms	ITIH4; inter-alpha-trypsin inhibitor heavy chain family, member 4; inter alpha (globulin) inhibitor H4 (plasma Kallikrein sensitive glycoprotein) , ITIHL1; inter-alpha-trypsin inhibitor heavy chain H4; H4P; IHRP; plasma Kallikrein sensitive glycoprotein; ITI

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

heavy chain H4; inter-alpha-inhibitor heavy chain 4; plasma kallikrein-sensitive glycoprotein 120; inter-alpha-trypsin inhibitor, heavy chain-like, 1; inter-alpha-trypsin inhibitor family heavy chain-related protein; inter-alpha (globulin) inhibitor H4 (plasma Kallikrein-sensitive glycoprotein); GP120; PK120; ITIHL1; PK-120; ITI-HC4; DKFZp686G21125;

Gene ID 3700


mRNA Refseq NM_001166449

Protein Refseq NP_001159921

MIM 600564

UniProt ID Q14624

SDS-PAGE



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA