

Recombinant Human FGL1 protein, hFc-tagged, Biotinylated

Cat. No. FGL1-1390H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Biotinylated Recombinant Human FGL1 protein(Q08830)(Asp64-Asn305), fused with N-terminal hFc tag, was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	Asp64-Asn305
Tag	N-hFc
Conjugation/Label	Biotin
Form	Supplied as 0.22µm filtered solution in 20mM PB, 250mM NaCl (pH 7.4).
Bio-activity	Immobilized Human LAG3, His Tag at 1µg/ml (100µl/well) on the plate. Dose response curve for Biotinylated Human FGL1, hFc Tag with the EC50 of 4.2ng/ml determined by ELISA.
Molecular Mass	The protein has a predicted MW of 54.8 kDa. Due to glycosylation, the protein migrates to 60-66 kDa based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per µg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE; > 90% as determined by HPLC.


 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage	Valid for 12 months from date of receipt when stored at -80°C.;Recommend to aliquot the protein into smaller quantities for optimal storage. Please do not repeated freeze-thaw cycles.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.
Conjugation	Biotin
GENE INFORMATION	
Gene Name	FGL1 fibrinogen-like 1 [Homo sapiens]
Official Symbol	FGL1
Synonyms	FGL1; fibrinogen-like 1; fibrinogen-like protein 1; HFREP 1; hepassocin; liver fibrinogen-related protein 1; hepatocellular carcinoma-related sequence; hepatocyte-derived fibrinogen-related protein 1; HFREP1; HP-041; LFIRE1; LFIRE-1; MGC12455;
Gene ID	2267
mRNA Refseq	NM_004467
Protein Refseq	NP_004458
MIM	605776
UniProt ID	Q08830

Tris-Bis PAGE



ELISA



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA