

Recombinant Human TXNDC12 293 Cell Lysate

Cat. No. TXNDC12-626HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for thioredoxin domain containing 12 (endoplasmic reticulum) (TXNDC12) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

TXNDC12 thioredoxin domain containing 12 (endoplasmic reticulum) [Homo sapiens]

Official Symbol

TXNDC12

Synonyms

TXNDC12; thioredoxin domain containing 12 (endoplasmic reticulum); thioredoxin domain-containing protein 12; AGR1; anterior gradient homolog 1 (Xenopus laevis); endoplasmic reticulum thioredoxin superfamily member; 18 kDa; ERP18; ERP19; hAG 1; PDIA16; protein disulfide isomerase family A; member 16; TLP19; ER protein 18; ER protein 19; anterior gradient homolog 1; thioredoxin-like protein p19; endoplasmic reticulum protein ERp19; endoplasmic reticulum resident protein 18; endoplasmic reticulum resident protein 19; protein disulfide isomerase family A, member 16; endoplasmic reticulum thioredoxin superfamily member, 18 kDa; AG1; ERP16; hAG-1; hTLP19;

Gene ID

51060

mRNA Refseq

NM_015913

Protein Refseq

NP_056997

MIM

609448

UniProt ID

O95881

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Chromosome Location	1p32.3
Pathway	Glutathione metabolism, organism-specific biosystem; Glutathione metabolism, conserved biosystem; glutathione redox reactions II, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA