

Recombinant Human TSTA3 293 Cell Lysate

Cat. No. TSTA3-691HCL Lot. No. (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for tissue specific transplantation antigen P35B (TSTA3) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

TSTA3 tissue specific transplantation antigen P35B [Homo sapiens]

Official Symbol

TSTA3

Synonyms

TSTA3; tissue specific transplantation antigen P35B; GDP-L-fucose synthase; FX; GDP L fucose synthase; P35B; SDR4E1; short chain dehydrogenase/reductase family 4E; member 1; 3-5 epimerase/4-reductase; red cell NADP(H)-binding protein; tissue specific transplantation antigen 3; GDP-4-keto-6-deoxy-D-mannose epimerase-reductase; GDP-4-keto-6-deoxy-D-mannose-3,5-epimerase-4-reductase; short chain dehydrogenase/reductase family 4E, member 1;

Gene ID

7264

mRNA Refseq

NM_003313

Protein Refseq

NP_003304

MIM

137020

UniProt ID

Q13630

**Chromosome
Location**

8q24.3

Pathway

Amino sugar and nucleotide sugar metabolism, organism-specific biosystem; Amino

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

sugar and nucleotide sugar metabolism, conserved biosystem; Fructose and mannose metabolism, organism-specific biosystem; Fructose and mannose metabolism, conserved biosystem; GDP-L-fucose biosynthesis I (from GDP-D-mannose), organism-specific biosystem; Metabolic pathways, organism-specific biosystem; colanic acid building blocks biosynthesis, organism-specific biosystem;

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA