

Recombinant Human TRPC4AP 293 Cell Lysate

Cat. No. TRPC4AP-743HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species Human

Source HEK293

Description

Antigen standard for transient receptor potential cation channel, subfamily C, member 4 associated protein (TRPC4AP), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.

Components

This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).

Size 0.1 mg

Storage Instruction

Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

TRPC4AP transient receptor potential cation channel, subfamily C, member 4 associated protein [Homo sapiens]

Official Symbol

TRPC4AP

Synonyms

TRPC4AP; transient receptor potential cation channel, subfamily C, member 4 associated protein; C20orf188, chromosome 20 open reading frame 188; short transient receptor potential channel 4-associated protein; dJ756N5.2; DKFZp586C1223; DKFZP727M231; TRRP4AP; TRP4-associated protein; trpc4-associated protein; TNF-receptor ubiquitous scaffolding/signaling protein; short transient receptor potential channel 4 associated protein; tumor necrosis factor receptor-associated ubiquitous scaffolding and signaling protein; TRUSS; C20orf188;

Gene ID

26133

mRNA Refseq

NM_015638

Protein Refseq

NP_056453

MIM

608430

UniProt ID

Q8TEL6

**Chromosome
Location**

20q11.23

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway

TNF-alpha/NF-kB Signaling Pathway, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA