

Recombinant Mouse Interleukin 6

Cat. No. IL6-558M **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant mouse IL6 produced in E. coli and purified via affinity chromatography.
Species	Mouse
Source	Mouse
Description	IL6 is an important proinflammatory and immunoregulatory cytokine expressed by various cells. IL6 has been shown to inhibit the growth of early stage and to promote the proliferation of advanced stage melanoma cells in vitro.
Form	Lyophilized from a sterile filtered solution of PBS, pH 7.4.
Purity	>95% as determined by SDS-PAGE.
Molecular Weight	~20 kDa
Biological Activity	>1 x 10 ⁸ units/mg. Bioactivity is determined in a dose response proliferation assay of B9 hybridoma cells as measured by the reduction of MTS. Mouse IL6 is active at 0.1 to 10 ng/ml for most in vitro applications. Optimal concentration for individual application should be determined by a dose response assay.
Endotoxin	<1 ng/μg
Reconstitution	We recommend that the vial be briefly centrifuged prior to opening to bring the contents to the bottom. Lyophilized mouse IL6 may be reconstituted in H ₂ O to 0.1

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

mg/ml to obtain a 0.0125M PBS final solution. Stock solutions should be apportioned into working aliquots and stored at $\leq -20^{\circ}\text{C}$. Further dilution should be made in medium or buffered solution containing carrier protein, such as PBS with 0.1% BSA.

Storage

Lyophilized IL6 should be stored at $\leq +4^{\circ}\text{C}$, preferably desiccated. Store reconstituted IL6 at $\leq -20^{\circ}\text{C}$. Keep freeze-thaw cycles to a minimum.

Official Symbol

IL6

Pathways

Cytokine-cytokine receptor interaction, Hematopoietic cell lineage, Jak-STAT signaling pathway, Prion disease, Toll-like receptor signaling pathway

GENE INFORMATION

Gene Name

IL6 interleukin 6 [*Mus musculus*]

Synonyms

IL6; interleukin 6; IL-6; Interleukin-6; IL-6; B-cell hybridoma growth factor; Interleukin HP-1; G-CSF; MGF; Four-helical cytokine-like, core; Four-helical cytokine, core; interleukin-6

Gene ID

16193

mRNA Refseq

NM_031168

Protein Refseq

NP_112445

MIM

96559

UniProt ID

P08505

Chromosome

5

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Location**Function**

Cytokine activity, Interleukin-6 receptor binding, Protein binding

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA