

Recombinant allergen Lep d 2 for Lepidoglyphus destructor (Storage mite)

Cat. No. IVP-008 **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Lep d 2 (obsolete name: Lep d 1) is a major allergen of the storage dust mite. The incidence of allergy to L. destructor may even surpass that to Dermatophagoides in some regions, such as tropical and subtropical areas. This allergen corresponds to the NPC2 family and it has been prepared as a recombinant mature protein fused to a his-tag.
Source	P.pastoris
Molecular Mass	Determined by SDS-PAGE, the protein appears as a band between molecular markers of 25,000 and 18,400 Da, while relative molecular mass calculated from amino acid sequence is 17,026.34 Da.
Purity	>95% in a SDS-PAGE
Incidence	The tested incidence of the protein is 72%, in front of >75% according to the bibliography.
IVD	Serodiagnosis of allergy to Storage mite
Stability	The protein will remain stable for four years if stored frozen.
Observation	Proteins should be maintained frozen at high concentrations. In order to defrost the protein, maintain the aliquot at 25°C without shaking to avoid aggregation. Prior making test dilutions and after defrosting the protein, is recommended to remove

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	possible protein aggregates by centrifuging the stock solution, avoiding alterations in the immobilization of the biomolecule to the solid surface.
Storage	Protein is shipped with dry ice. Upon arrival, it should be aliquoted in order to avoid repeated freezing and thawing cycles and stored at -20°C to -80°C.
Concentration	1.45mg/ml
Notes	During shipment, small olumes of product will occasionally become entrapped in the seal of the product vial. For products with volumes of 200 ul or less, we recommend gently tapping the vial on a hard surface or briefly centrifuging the vial in a tabletop centrifuge to dislodge any liquid in the containers cap. Although recombinant antigens are expressed in non-pathogenic P.pastori and bacterial integrity is destroyed during purificaton, the antigen preparation should be handled as potentially infectious.
Type	Recombinant
ClassID 1	NPC2 family