

Recombinant Full Length Human Ubiquitin Protein, HA tagged, Vinyl Methyl Ester Labeled

Cat. No. Ubiquitin-10HFL **Lot. No.** (See product label)


SPECIFICATION

Product Overview	This product consists of a full-length human, mature ubiquitin polypeptide (amino acids 1-76), expressed in E. coli with a c-terminal warhead (Vinyl Methyl Sulfone) and an N-terminal HA-Tag.
Species	Human
Source	E.coli
ProteinLength	1-76aa
Description	Ubiquitin is a small (8.5 kDa) regulatory protein that has been found in almost all tissues of eukaryotic organisms. Ubiquitination can affect proteins in many ways; it can signal for their degradation via the proteasome, alter their cellular location, affect their activity, and promote or prevent protein interactions. Removal of ubiquitin from a substrate protein occurs via deconjugating enzymes, of which there are nearly 100 known enzymes with various linkage specificities. HA-Ubiquitin-Vinyl Methyl-Sulfone is a potent, irreversible, and specific inhibitor of deubiquitinating enzymes (DUBs) based on a C-terminal electrophilic Vinyl Sulfone group. It targets three of the four major DUB families: UCH (Ubiquitin c-terminal hydrolases), USP (Ubiquitin Specific Proteases), OTU (Ovarian Tumor Proteases), and MJD (Machado-Josephin domain proteases) while JAMM metalloproteases are not inhibited.
Tag	HA

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Conjugation/Label	Vinyl Methyl Ester
Molecular Mass	10.1 kDa
Purity	>97% by LCMS
Usage	Reaction conditions will need to be optimized for each application. We recommend an initial HA-Ubiquitin-VME concentration of 1-5 μ M.
Applications	HA-Ub-Vinyl Methyl ester can be used for activity profiling experiments and using the HA-Tag conveniently for Immunoprecipitations in search for new or novel enzymes reacting with the c-terminal warhead.
Notes	For Research Use Only, Not For Use In Humans.
Storage	At -80 centigrade, Avoid multiple freeze/thaw cycles.
Storage Buffer	50mM MES pH 6.0, 100mM NaCl
Concentration	400 μ M, 4.0 mg/mL
Kinetic Activity	 UCHL3 activity with Ubiquitin-AMC measured in the presence of 15.0 nM and 0.1

nM HA-Ubiquitin Vinyl Methyl Ester.

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA