

Recombinant Human TNFSF13 protein, His-Flag-tagged

Cat. No. TNFSF13-7565H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human TNFSF13 protein(O75888-1)(Lys112-Leu250), fused with N-terminal His-Flag tag, was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	Lys112-Leu250
Tag	N-His-Flag
Form	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Bio-activity	Immobilized Human APRIL Trimer, His Tag at 0.1µg/ml (100µl/well) on the plate. Dose response curve for Human BCMA, hFc Tag with the EC50 of 0.9ng/ml determined by ELISA.
Molecular Mass	The protein has a predicted MW of 52.05 kDa. Due to glycosylation, the protein migrates to 52-60 kDa based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per µg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE; > 95% as determined by HPLC


 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage	Reconstituted protein stable at -80°C for 12 months, 4°C for 1 week. Use a manual defrost freezer and avoid repeated freeze-thaw cycles.
Reconstitution	Centrifuge tubes before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
GENE INFORMATION	
Gene Name	TNFSF13 tumor necrosis factor (ligand) superfamily, member 13 [Homo sapiens]
Official Symbol	TNFSF13
Synonyms	TNFSF13; tumor necrosis factor (ligand) superfamily, member 13; tumor necrosis factor ligand superfamily member 13; APRIL; CD256; a proliferation-inducing ligand; tumor necrosis factor-like protein ZTNF2; tumor necrosis factor-related death ligand-1; TNF- and APOL-related leukocyte expressed ligand 2; TALL2; ZTNF2; TALL-2; TRDL-1; FLJ57090; UNQ383/PRO715;
Gene ID	8741
mRNA Refseq	NM_001198622
Protein Refseq	NP_001185551
MIM	604472
UniProt ID	O75888

Tris-Bis PAGE



ELISA Data

