

Recombinant Full Length Human BIRC5 Protein, His&TEV tagged

Cat. No. BIRC5-04HFL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Full-length human BIRC5 cDNA (141 aa, Isoform-I) was constructed with codon optimization gene synthesis and expressed with a human alpha Fetal Protein N-terminal (AFPn) -His-TEV cleavage site Tag (217aa) fusion at its N-terminal. It was expressed in E. coli as inclusion bodies.
Species	Human
Source	E.coli
ProteinLength	1-142 aa
Description	This gene is a member of the inhibitor of apoptosis (IAP) gene family, which encode negative regulatory proteins that prevent apoptotic cell death. IAP family members usually contain multiple baculovirus IAP repeat (BIR) domains, but this gene encodes proteins with only a single BIR domain. The encoded proteins also lack a C-terminus RING finger domain. Gene expression is high during fetal development and in most tumors, yet low in adult tissues. Alternatively spliced transcript variants encoding distinct isoforms have been found for this gene.
Tag	His&TEV
Form	Sterile-filtered
AA Sequence	MTLHRNEYGIASILDSYQCTAEISLADLATIFFAQFVQEATYKEVSKMVKDALTAIEKP

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

TGDEQSSGCLENQLPAFLEELCHEKEILEKYGHSDCCSQSEEGRHNCFLAHKKPTP
 ASIPLFQVPEPVTSCAYEEDRETfMnkFIYEIARRHPFLYAPTILLWAARYDKIIPSCC
 KAENAVECFQTKAATVTKELRESSGGSHHHHHHGSENLYFQGGEGAPTLPPAWQP
 FLKDHRISTFKNWPFLGCACTPERMAEAGFIHCPTENEPDLAQCFFCFKELEGWE
 PDDDPIEEHKKHSSGCAFLSVKKQFEELTLGEFLKLDREKAKNIAKETNNKKKEFEE
 TAEKVRRAIEQLAAMD

Purity > 90% by SDS-PAGE

Applications

1. May be used for in vitro BIRC5 mediated apoptosis pathway regulation study for various cancer cells by intracellular delivery of this protein with protein delivery reagent such as ProFectin reagent kit.
2. May be used for mapping protein-protein interaction.
3. May be used as specific substrate protein for kinase, and ubiquitin (Sumo pathway) related enzyme functional screening assays.
4. May serve as auto-antibodies detection reagent, which will react with sera of some auto-immuno-diseases"s or cancer patients.
5. As Immunogen for specific antibody production.

Storage

In Liquid. Keep at -80 centigrade for long term storage. Product is stable at 4 centigrade for at least 30 days.

Storage Buffer

20 mM pH 8.0 Tris-HCl Buffer, with proprietary formulation of NaCl, KCl, EDTA, Sucrose and DTT.

Concentration

0.25 mg/mL

Reference

1. Ambrosini G, et al., A novel anti-apoptosis gene, survivin, expressed in cancer and lymphoma. Nat. Med. 3 (8), 917-921 (1997)
2. Tamm I, et al., IAP-family protein survivin inhibits caspase activity and apoptosis

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

induced by Fas (CD95), Bax, caspases, and anticancer drugs. Cancer Res. 58 (23), 5315-5320 (1998)

3. Jovic,M., et al., Correlation of local and systemic expression of survivin with histopathological parameters of cutaneous melanoma. Vojnosanit Pregl 73 (11), 1022-1029 (2016)

GENE INFORMATION

Gene Name	BIRC5 baculoviral IAP repeat containing 5 [Homo sapiens (human)]
Official Symbol	BIRC5
Synonyms	BIRC5; baculoviral IAP repeat containing 5; API4; EPR-1; baculoviral IAP repeat-containing protein 5; apoptosis inhibitor 4; apoptosis inhibitor survivin
Gene ID	332
mRNA Refseq	NM_001168
Protein Refseq	NP_001159
MIM	603352
UniProt ID	A0A0B4J1S3

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA