

Recombinant Human HLA-G&B2M&Peptide (RIIPRHLQL) Tetramer protein, His-Avi-tagged, Biotinylated

Cat. No. HLA-G&B2M-6744H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Biotinylated Human HLA-G Tetramer Protein(Gly25-Thr305(HLA-G), Ile21-Met119(B2M) and RIIPRHLQL peptide) is expressed from HEK293 with His tag and Avi tag at the C-terminal, tetramer is assembled by Biotinylated monomer and streptavidin.
Species	Human
Source	HEK293
ProteinLength	Gly25-Thr305(HLA-G), Ile21-Met119(B2M)and RIIPRHLQL peptide
Tag	C-His-Avi
Conjugation/Label	Biotin
Form	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 5% trehalose is added as protectant before lyophilization.
Bio-activity	Immobilized Biotinylated Human HLA-G&B2M&Peptide (RIIPRHLQL) Tetramer, His Tag at 1µg/ml (100µl/well) on the streptavidin precoated plate (5µg/ml). Dose response curve for Anti-HLA-G Antibody, hFc Tag with the EC50 of 7.2ng/ml determined by ELISA.
Molecular Mass	The protein has a predicted MW of 258 kDa. Due to glycosylation, the protein

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	migrates to 260-265 kDa under Non reducing (N) condition based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per µg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE;> 95% as determined by HPLC
Storage	Reconstituted protein stable at -80°C for 12 months, 4°C for 1 week. Use a manual defrost freezer and avoid repeated freeze-thaw cycles.
Reconstitution	Centrifuge tubes before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
GeneID 2	567
Conjugation	Biotin

GENE INFORMATION

Gene Name	HLA-G major histocompatibility complex, class I, G [Homo sapiens]
Official Symbol	HLA-G
Synonyms	HLA-G; major histocompatibility complex, class I, G; HLA G histocompatibility antigen, class I, G; HLA class I histocompatibility antigen, alpha chain G; b2 microglobulin; HLA G antigen; HLA class I molecule; MHC class I antigen G; HLA-G histocompatibility antigen, class I, G; MHC-G;
Gene ID	3135
mRNA Refseq	NM_002127

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA


Protein Refseq	NP_002118
MIM	142871
UniProt ID	P17693
Gene Name 2	B2M beta-2-microglobulin [Homo sapiens]
Official Symbol 2	B2M
Synonyms 2	B2M; beta-2-microglobulin; beta-2-microglobin; beta chain of MHC class I molecules
mRNA Refseq 2	NM_004048
Protein Refseq 2	NP_004039
MIM 2	109700
UniProt ID 2	P61769

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

Tris-Bis PAGE



ELISA Data

Biotinylated Human HLA-G&B2M&Peptide (RIIPRHLQL) Tetramer, His Tag ELISA
0.1µg Biotinylated Human HLA-G&B2M&Peptide (RIIPRHLQL) Tetramer, His Tag Per Well



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA