

Recombinant Human TCF4 293 Cell Lysate

Cat. No. TCF4-1179HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for transcription factor 4 (TCF4), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

TCF4 transcription factor 4 [Homo sapiens]

Official Symbol

TCF4

Synonyms

TCF4; transcription factor 4; bHLHb19; E2 2; ITF2; SEF2 1B; SL3-3 enhancer factor 2; transcription factor 4, isoform D; transcription factor 4, isoform R; immunoglobulin transcription factor 2; class B basic helix-loop-helix protein 19; E2-2; PTHS; SEF2; ITF-2; SEF-2; TCF-4; SEF2-1; SEF2-1A; SEF2-1B; MGC149723; MGC149724;

Gene ID

6925

mRNA Refseq

NM_001083962

Protein Refseq

NP_001077431

MIM

602272

UniProt ID

P15884

Chromosome Location

18q21.1

Pathway

CDO in myogenesis, organism-specific biosystem; Coregulation of Androgen receptor activity, organism-specific biosystem; Developmental Biology, organism-specific biosystem; Myogenesis, organism-specific biosystem; Regulation of Wnt-mediated

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

beta catenin signaling and target gene transcription, organism-specific biosystem;
Wnt Signaling Pathway NetPath, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA