

Recombinant Human TCF3 293 Cell Lysate

Cat. No. TCF3-1180HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for transcription factor 3 (E2A immunoglobulin enhancer binding factors E12/E47) (TCF3), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name TCF3 transcription factor 3 (E2A immunoglobulin enhancer binding factors E12/E47) [Homo sapiens]

Official Symbol TCF3

Synonyms TCF3; transcription factor 3 (E2A immunoglobulin enhancer binding factors E12/E47); transcription factor E2-alpha; bHLHb21; E2A; E2A immunoglobulin enhancer binding factor E12/E47; E47; immunoglobulin transcription factor 1; ITF1; kappa E2 binding factor; MGC129647; MGC129648; transcription factor E2 alpha; VDIR; VDR interacting repressor; kappa-E2-binding factor; transcription factor ITF-1; helix-loop-helix protein HE47; vitamin D receptor-interacting repressor; class B basic helix-loop-helix protein 21; negative vitamin D response element-binding protein; TCF-3;

Gene ID 6929

mRNA Refseq NM_001136139

Protein Refseq NP_001129611

MIM 147141

UniProt ID P15923

Chromosome Location 19p13.3

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway

CDO in myogenesis, organism-specific biosystem; Delta-Notch Signaling Pathway, organism-specific biosystem; Developmental Biology, organism-specific biosystem; HTLV-I infection, organism-specific biosystem; HTLV-I infection, conserved biosystem; Id Signaling Pathway, organism-specific biosystem; Myogenesis, organism-specific biosystem;

Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA