

Active Recombinant Full Length Human CLDN4 Protein

Cat. No. CLDN4-30H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Claudin 4 protein contains 209 amino acids (Met1-Val209; UniProt# NP_001296.1), and is displayed on nanoparticles that mimics the native protein conformation on the cell surface.
Species	Human
Source	HEK293T
ProteinLength	1-209 aa
Description	Claudin 4, also known as CLDN4, is an integral membrane protein with 4 transmembrane domains, two extracellular loops, two intracellular loops, both N-terminus and C-terminus ends towards the cytosol. Human Claudin 4 is a component of tight junction strands and may play a role in internal organ development and function during pre- and postnatal life. Claudin 4 can also be used as a marker for distinguishing malignant mesothelioma from lung cancer and uterine serous carcinoma. As a pancreatic cancer marker in cell-blocks of effusion specimens, it has also been found to have a superior performance to BerEp4 staining.
Application	Verified Applications: ELISA and Western blot for Claudin 4-specific antibody binding assays. Suggested Applications: ELISA for Claudin 4-specific antibody binding assays; animal immunization, RUO.
Storage	Store at -80 centigrade.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage Buffer 0.22µm filtered PBS, pH 7.4

Shipping Frozen Dry Ice

GENE INFORMATION

Gene Name CLDN4 claudin 4 [Homo sapiens (human)]

Official Symbol CLDN4

Synonyms CLDN4; claudin 4; CPETR, CPETR1; claudin-4; Clostridium perfringens enterotoxin receptor 1; CPE R; hCPE R; WBSCR8; Williams Beuren syndrome chromosomal region 8 protein; CPE-receptor; Williams-Beuren syndrome chromosomal region 8 protein; CPER; CPE-R; CPETR; CPETR1; hCPE-R;

Gene ID 1364

mRNA Refseq NM_001305

Protein Refseq NP_001296

MIM 602909


UniProt ID O14493

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

Bioactivity-Antibody Binding



Immobilized human Claudin 4 VLP at 5 µg/mL (100 µL/well) can bind monoclonal anti-human Claudin 4 antibody with half maximal effective concentration (EC₅₀) range of 48.6-194.4 ng/mL (QC tested).

Dynamic Light Scattering



The mean peak diameter (nm) of the CMP is 199.2 with a range of 189.2-209.2 with more than 95% intensity as determined by dynamic light scattering (DLS).