

Recombinant Human TNFSF10 Protein, His tagged

Cat. No. TNFSF10-001H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human TNFSF10 Protein (95-281 aa) with His tag was expressed in Insect Cells.
Species	Human
Source	Insect Cells
ProteinLength	95-281 aa
Description	The protein encoded by this gene is a cytokine that belongs to the tumor necrosis factor (TNF) ligand family. This protein preferentially induces apoptosis in transformed and tumor cells, but does not appear to kill normal cells although it is expressed at a significant level in most normal tissues. This protein binds to several members of TNF receptor superfamily including TNFRSF10A/TRAILR1, TNFRSF10B/TRAILR2, TNFRSF10C/TRAILR3, TNFRSF10D/TRAILR4, and possibly also to TNFRSF11B/OPG. The activity of this protein may be modulated by binding to the decoy receptors TNFRSF10C/TRAILR3, TNFRSF10D/TRAILR4, and TNFRSF11B/OPG that cannot induce apoptosis. The binding of this protein to its receptors has been shown to trigger the activation of MAPK8/JNK, caspase 8, and caspase 3. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.
AASequence	MTSEETISTVQEKQQNISPLVRERGPQRVAAHITGTRGRSNTLSSPNSKNEKALGRK INSWESSRSGHSFLSNLHLRNGELVIEHKGFFYYISQTYFRFQEEIKENTKNDKQMV

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	QYIYKYTSYPDPILLMKSAARNSCWSKDAEYGLYSIQGGIFELKENDRIFVSVTNEHLI DMDHEASFFGAFLVGHHHHHHHHHH
Molecular Mass	23 kDa
Endotoxin	< 1 EU/μg by LAL
Purity	> 90% by SDS-PAGE
Storage	Store it under sterile conditions at -20 to -80 centigrade. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
Storage Buffer	Sterile PBS, pH7.4
Concentration	1 mg/mL by BCA

GENE INFORMATION

Gene Name	TNFSF10 tumor necrosis factor (ligand) superfamily, member 10 [Homo sapiens (human)]
Official Symbol	TNFSF10
Synonyms	TNFSF10; tumor necrosis factor (ligand) superfamily, member 10; tumor necrosis factor ligand superfamily member 10; Apo 2L; CD253; TL2; TRAIL; Apo-2 ligand; TNF-related apoptosis inducing ligand TRAIL; tumor necrosis factor (ligand) family, member 10; chemokine tumor necrosis factor ligand superfamily member 10; tumor necrosis factor apoptosis-inducing ligand splice variant delta; APO2L; Apo-2L;
Gene ID	8743

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA


mRNA Refseq [NM_001190942](#)

Protein Refseq [NP_001177871](#)

MIM [603598](#)

UniProt ID [P50591](#)

SDS-PAGE and WB



Reducing 4%-20% SDS-PAGE (CBB stained) and WB (Anti-His Mouse Monoclonal Antibody) analysis profiles of purified TNFSF10. 1. TNFSF10: 1 µg
2. BSA 1 µg

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA