

Active Recombinant Rat KITLG protein, His-tagged

Cat. No. KITLG-4151R **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Active Recombinant Rat KITLG protein(P21581)(27~214 aa), fused with N-terminal His tag, was expressed in HEK293.
Species	Rat
Source	HEK293
ProteinLength	27-214 aa
Form	Lyophilized from sterile PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.
Bio-activity	Stem cell factor (SCF), also known as mast cell growth factor (MGF), and steel factor (SLF), plays an important role in hematopoiesis, spermatogenesis and melanogenesis. SCF has been shown to stimulate the proliferation of TF-1 cells. To test this effect, TF-1 cells were seeded into triplicate wells of 96-well plates at a density of 2×10^4 cells/well and incubated for 72h in the presence or absence of various concentrations of SCF at 37°C. The growth of cells were observed by inverted microscope and cell proliferation was measured by Cell Counting Kit-8(CCK-8). Briefly, 10 μl of CCK-8 solution was added to each well of the plate, then measure the absorbance at 450 nm using a microplate reader after incubating the plate for 1-4 hours at 37°C. Cell proliferation of TF-1 cells after incubation with SCF for 72h observed by inverted microscope was shown. The dose-effect curve of SCF was shown. It was obvious that it significantly promoted cell proliferation of TF-1 cells .The

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

ED50 for this effect is typically 2.9 ng/ml.

Molecular Mass	22.5kDa
Endotoxin	<1.0EU per 1µg (determined by the LAL method).
Purity	> 90% as determined by SDS-PAGE.
Storage	Avoid repeated freeze/thaw cycles. Store at -20°C for 12 months. Aliquot and store at -80°C for 12 months.
Reconstitution	Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

GENE INFORMATION


Gene Name	Kitlg KIT ligand [<i>Rattus norvegicus</i>]
Official Symbol	KITLG
Synonyms	KITLG; KIT ligand; kit ligand; C-kit ligand; stem cell factor KL-1; mast cell growth factor; steel factor/kit ligand; hematopoietic growth factor KL; Mgf; SCF; Kitl;
Gene ID	60427
mRNA Refseq	NM_021843
Protein Refseq	NP_068615

 Tel: 1-631-559-9269 1-516-512-3133


 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Activity



SDS-PAGE



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA