

Active Recombinant Human SERPINE1 protein, His-tagged

Cat. No. SERPINE1-3008H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Active Recombinant Human SERPINE1 protein(P05121)(24~402 aa), fused with N-terminal His tag, was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	24-402 aa
Form	Lyophilized from sterile PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.
Bio-activity	Plasminogen Activator Inhibitor 1 (PAI1) is a member of the Serpin superfamily of serine protease inhibitors, Serpin E1/PAI 1 is the principal inhibitor of urokinase type plasminogen activator (uPA) and tissue type PA. As important regulators of extracellular matrix remodeling, uPA and PAI 1 play a major role in many processes such as angiogenesis, tumor invasion and obesity. Besides, Vitronectin (VTN) has been identified as an interactor of PAI1, thus a binding ELISA assay was conducted to detect the interaction of recombinant human PAI1 and recombinant human VTN. Briefly, PAI1 were diluted serially in PBS, with 0.01% BSA (pH 7.4). Duplicate samples of 100 μwere then transferred to VTN-coated microtiter wells and incubated for 2h at 37°C. Wells were washed with PBST and incubated for 1h with anti-PAI1 pAb, then aspirated and washed 3 times. After incubation with HRP labelled secondary antibody, wells were aspirated and washed 3 times. With the addition of

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

substrate solution, wells were incubated 15-25 minutes at 37°C. Finally, add 50μ stop solution to the wells and read at 450nm immediately. The binding activity of PAI1 and VTN was shown, and this effect was in a dose dependent manner, the EC50 was approximately 4.47 ug/mL.

Molecular Mass	44.4kDa
Endotoxin	<1.0EU per 1μg (determined by the LAL method).
Purity	> 95% as determined by SDS-PAGE.
Storage	Avoid repeated freeze/thaw cycles. Store at -20°C for 12 months. Aliquot and store at -80°C for 12 months.
Reconstitution	Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

GENE INFORMATION

Gene Name	SERPINE1 serpin peptidase inhibitor, clade E (nexin, plasminogen activator inhibitor type 1), member 1 [Homo sapiens]
Official Symbol	SERPINE1
Synonyms	SERPINE1; serpin peptidase inhibitor, clade E (nexin, plasminogen activator inhibitor type 1), member 1; PAI1, PLANH1, serine (or cysteine) proteinase inhibitor, clade E (nexin, plasminogen activator inhibitor type 1), member 1; plasminogen activator inhibitor 1; PAI; plasminogen activator inhibitor; type I; serpin E1; endothelial plasminogen activator inhibitor; serine (or cysteine) proteinase inhibitor, clade E (nexin, plasminogen activator inhibitor type 1), member 1; PAI1; PAI-1; PLANH1;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Gene ID 5054


mRNA Refseq NM_000602

Protein Refseq NP_000593


MIM 173360

UniProt ID P05121

Activity



SDS-PAGE



 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA