

Recombinant Human SPINLW1 293 Cell Lysate

Cat. No. SPINLW1-1508HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for serine peptidase inhibitor-like, with Kunitz and WAP domains 1 (eppin) (SPINLW1), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	SPINLW1 serine peptidase inhibitor-like, with Kunitz and WAP domains 1 (eppin) [Homo sapiens]
Official Symbol	SPINLW1
Synonyms	SPINLW1; serine peptidase inhibitor-like, with Kunitz and WAP domains 1 (eppin); serine protease inhibitor like, with Kunitz and WAP domains 1 (eppin); eppin; cancer/testis antigen 72; CT72; dJ461P17.2; epididymal protease inhibitor; EPPIN; EPPIN1; EPPIN2; EPPIN3; WAP7; WFDC7; protease inhibitor WAP7; cancer/testis antigen 71; WAP four-disulfide core domain protein 7; CT71;
Gene ID	57119
mRNA Refseq	NM_020398
Protein Refseq	NP_065131
MIM	609031
UniProt ID	O95925
Chromosome Location	20q12-q13.2
Function	peptidase inhibitor activity; serine-type endopeptidase inhibitor activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA