

Recombinant Human DBI, His-tagged

Cat. No. DBI-11842H Lot. No. (See product label)

SPECIFICATION

Product Overview	Recombinant Human DBI protein, fused to His-tag, was expressed in E.coli and purified by Ni-sepharose.
Species	Human
Source	E.coli
ProteinLength	1-102a.a.
Description	This gene encodes diazepam binding inhibitor, a protein that is regulated by hormones and is involved in lipid metabolism and the displacement of beta-carbolines and benzodiazepines, which modulate signal transduction at type A gamma-aminobutyric acid receptors located in brain synapses. The protein is conserved from yeast to mammals, with the most highly conserved domain consisting of seven contiguous residues that constitute the hydrophobic binding site for medium- and long-chain acyl-Coenzyme A esters. Diazepam binding inhibitor is also known to mediate the feedback regulation of pancreatic secretion and the postprandial release of cholecystokinin, in addition to its role as a mediator in corticotropin-dependent adrenal steroidogenesis. Three pseudogenes located on chromosomes 6, 8 and 16 have been identified. Multiple transcript variants encoding different isoforms have been described for this gene.
Source	E.coli
Species	Human

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Tag	His
Storage	The protein is stored in PBS buffer at -20°C. Avoid repeated freezing and thawing cycles.
Storage Buffer	1M PBS (58mM Na ₂ HPO ₄ , 17mM NaH ₂ PO ₄ , 68mM NaCl, pH8.) added with 300mM Imidazole and 0.7% Sarcosyl, 15% glycerol.
GENE INFORMATION	
Gene Name	DBI diazepam binding inhibitor (GABA receptor modulator, acyl-CoA binding protein) [Homo sapiens]
Official Symbol	DBI
Synonyms	DBI; diazepam binding inhibitor (GABA receptor modulator, acyl-CoA binding protein); diazepam binding inhibitor (GABA receptor modulator, acyl Coenzyme A binding protein); acyl-CoA-binding protein; ACBD1; ACBP; endozepine; GABA receptor modulator; diazepam-binding inhibitor; acyl coenzyme A binding protein; acyl-Coenzyme A binding domain containing 1; cholecystokinin-releasing peptide, trypsin-sensitive; diazepam binding inhibitor (GABA receptor modulator, acyl-Coenzyme A binding protein); EP; CCK-RP; MGC70414;
Gene ID	1622
mRNA Refseq	NM_001079862
Protein Refseq	NP_001073331
MIM	125950

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

UniProt ID	P07108
Chromosome Location	2q12-q21
Pathway	PPAR signaling pathway, organism-specific biosystem; PPAR signaling pathway, conserved biosystem;
Function	benzodiazepine receptor binding; fatty-acyl-CoA binding; lipid binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA