

Recombinant Human HDAC6, GST-tagged

Cat. No. HDAC6-13709H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Human HDAC6 protein, fused to GST-tag, was expressed in E.coli and purified by GSH-sepharose.
Species	Human
Source	E.coli
ProteinLength	C-term-352a.a.
Description	Histones play a critical role in transcriptional regulation, cell cycle progression, and developmental events. Histone acetylation/deacetylation alters chromosome structure and affects transcription factor access to DNA. The protein encoded by this gene belongs to class II of the histone deacetylase/acuc/apha family. It contains an internal duplication of two catalytic domains which appear to function independently of each other. This protein possesses histone deacetylase activity and represses transcription.
Source	E.coli
Species	Human
Tag	GST
Storage	The protein is stored in PBS buffer at -20°C. Avoid repeated freezing and thawing cycles.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Storage Buffer

1M PBS (58mM Na₂HPO₄, 17mM NaH₂PO₄, 68mM NaCl, pH8.) added with 100mM GSH and 1% Triton X-100, 15% glycerol.

GENE INFORMATION

Gene Name HDAC6 histone deacetylase 6 [Homo sapiens]

Official Symbol HDAC6

Synonyms HDAC6; histone deacetylase 6; FLJ16239; HD6; JM21; KIAA0901;

Gene ID 10013

mRNA Refseq NM_006044

Protein Refseq NP_006035

MIM 300272

UniProt ID Q9UBN7

Chromosome Location Xp11.23

Pathway

Cell cycle, organism-specific biosystem; NOTCH1 Intracellular Domain Regulates Transcription, organism-specific biosystem; Signal Transduction, organism-specific biosystem; Signaling by NOTCH, organism-specific biosystem; Signaling by NOTCH1, organism-specific biosystem; Signaling events mediated by HDAC Class I, organism-specific biosystem; Signaling events mediated by HDAC Class II, organism-specific biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Function

Hsp90 protein binding; NAD-dependent histone deacetylase activity (H3-K14 specific); NAD-dependent histone deacetylase activity (H3-K9 specific); NAD-dependent histone deacetylase activity (H4-K16 specific); actin binding; alpha-tubulin binding; beta-cate

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA