Recombinant Human SNCA 293 Cell Lysate

Cat. No. SNCA-1634HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	
Species	Human
Source	HEK293
Description	Antigen standard for synuclein, alpha (non A4 component of amyloid precursor) (SNCA), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	SNCA synuclein, alpha (non A4 component of amyloid precursor) [Homo sapiens]
Official Symbol	SNCA
Synonyms	SNCA; synuclein, alpha (non A4 component of amyloid precursor); PARK1, PARK4, Parkinson disease (autosomal dominant, Lewy body) 4; alpha-synuclein; alpha synuclein; NACP; PD1; synuclein alpha-140; non A-beta component of AD amyloid; PARK1; PARK4; MGC110988;
Gene ID	6622
mRNA Refseq	NM_000345
Protein Refseq	NP_000336
MIM	163890
UniProt ID	P37840
Chromosome Location	4q21.3-q22
Pathway	Alpha-synuclein signaling, organism-specific biosystem; Alzheimers disease, organism-specific biosystem; Alzheimers disease, conserved biosystem; Amyloids, organism-specific biosystem; Disease, organism-specific biosystem; EGFR1

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

	Signaling Pathway, organism-specific biosystem; Parkinsons disease, organism-specific biosystem;
Function	Hsp70 protein binding; alpha-tubulin binding; arachidonic acid binding; calcium ion binding; copper ion binding; cysteine-type endopeptidase inhibitor activity involved in apoptotic process; dynein binding; NOT fatty acid binding; ferrous iron binding; histone binding; identical protein binding; kinesin binding; magnesium ion binding; oxidoreductase activity; NOT phospholipase D inhibitor activity; phosphoprotein binding; protein binding; tau protein binding; zinc ion binding;

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA