

Recombinant Human SNAPC3 293 Cell Lysate

Cat. No. SNAPC3-1637HCL Lot. No. (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for small nuclear RNA activating complex, polypeptide 3, 50kDa (SNAPC3) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

SNAPC3 small nuclear RNA activating complex, polypeptide 3, 50kDa [Homo sapiens]

Official Symbol

SNAPC3

Synonyms

SNAP50; PTFbeta; snRNA-activating protein complex subunit 3; SNAPc subunit 3; PTF subunit beta; SNAPc 50 kDa subunit; PSE-binding factor subunit beta; snRNA-activating protein complex 50 kDa subunit; small nuclear RNA-activating complex polypeptide 3; small nuclear RNA activating complex, polypeptide 3, 50kD; proximal sequence element-binding transcription factor subunit beta

Gene ID

6619

mRNA Refseq

NM_001039697

Protein Refseq

NP_001034786

MIM

602348

UniProt ID

Q92966

Chromosome Location

9p22.3

Pathway

Gene Expression, organism-specific biosystem; RNA Polymerase III Abortive And

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Retractive Initiation, organism-specific biosystem

Function

DNA binding

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA