

Recombinant Cynomolgus SLC10A1 Protein, His&Flag tagged

Cat. No. SLC10A1-922C **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant Cynomolgus SLC10A1 Protein (1-349 aa) with His&Flag tag was expressed in E. coli.
Species	Cynomolgus
Source	E.coli
ProteinLength	1-349 aa
Description	As a major transporter of conjugated bile salts from plasma into the hepatocyte, it plays a key role in the enterohepatic circulation of bile salts necessary for the solubilization and absorption of dietary fat and fat-soluble vitamins. It is strictly dependent on the extracellular presence of sodium. It exhibits broad substrate specificity and transports various bile acids, such as taurocholate, cholate, as well as non-bile acid organic compounds, such as estrone sulfate. Works collaboratively with the ileal transporter (NTCP2), the organic solute transporter (OST), and the bile salt export pump (BSEP), to ensure efficacious biological recycling of bile acids during enterohepatic circulation.
Form	Lyophilized from PBS, 0.05% Brij78, 6% Trehalose, pH7.4 The volume before lyophilization is 86 µL/vial.
Molecular Mass	40.1 kDa
AASequence	MEAHNASAPFNFTLPPNFGKRPTDLALSILVFMLFFVMLSLGCTMEFSKIKAHLWKP

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

KGLAIALVAQYGIMPLTAFVLGKVFQLNNEALAILVCGCSPGGNLSNVFSLAMKGDM
 NLSIVMTTCSTFCALGMMPLLLYLYTRGIYDGDLDKDKVPYGRILSLVPVLIPCTIGIVLK
 SKRPQYMRYVIKGGMIILLCSVAVTVLSAINVGKSIMFAMTPLLATSSLMPFIGFLLG
 YVLSALFCLNGRCRRTVSMETGCQNVQLCSTILNVAFPPEVIGPLFFFPLLYMIFQLG
 EGLLLIAMFRCYEKFKTPKDKTKMIYTAATTEETIPGALGNGTYKGEDCSPCTA

Purity ≥90% by SDS-PAGE

Storage Store it under sterile conditions at -20 to -80 centigrade. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Reconstitution We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20/-80 centigrade. Our default final concentration of glycerol is 50%. Customers could use it as reference.

GENE INFORMATION

Gene Name [SLC10A1 solute carrier family 10 member 1 \[Macaca mulatta \(Rhesus monkey\) \]](#)

Official Symbol [SLC10A1](#)

Synonyms SLC10A1; solute carrier family 10 member 1; Ntcp; sodium/bile acid cotransporter; hepatic sodium/bile acid cotransporter; solute carrier family 10 (sodium/bile acid cotransporter family), member 1; solute carrier family 10 member a1

Gene ID [712925](#)

mRNA Refseq [XM_001110268](#)

 Tel: 1-631-559-9269 1-516-512-3133


 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Protein Refseq XP_001110268

UniProt ID A0A8J8XR54

SDS-PAGE and WB



(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA