

Recombinant Human SLC30A8 293 Cell Lysate

Cat. No. SLC30A8-1737HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for solute carrier family 30 (zinc transporter), member 8 (SLC30A8) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name [SLC30A8 solute carrier family 30 \(zinc transporter\), member 8 \[Homo sapiens \]](#)

Official Symbol SLC30A8

Synonyms SLC30A8; solute carrier family 30 (zinc transporter), member 8; zinc transporter 8; zinc transporter ZnT-8; ZNT8; ZnT-8;

Gene ID [169026](#)

mRNA Refseq [NM_001172811](#)

Protein Refseq [NP_001166282](#)

MIM [611145](#)

UniProt ID [Q8IWU4](#)

Chromosome Location 8q24.11

Pathway Metal ion SLC transporters, organism-specific biosystem; SLC-mediated transmembrane transport, organism-specific biosystem; Transmembrane transport of small molecules, organism-specific biosystem; Transport of glucose and other sugars, bile salts and organic acids, metal ions and amine compounds, organism-specific biosystem; Zinc efflux and compartmentalization by the SLC30 family, organism-

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	specific biosystem; Zinc transporters, organism-specific biosystem;
Function	cation transmembrane transporter activity; protein homodimerization activity; zinc ion binding; zinc ion transmembrane transporter activity;