

Recombinant Human SLC28A1 293 Cell Lysate

Cat. No. SLC28A1-1746HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for solute carrier family 28 (sodium-coupled nucleoside transporter), member 1 (SLC28A1), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	SLC28A1 solute carrier family 28 (concentrative nucleoside transporter), member 1 [Homo sapiens]
Official Symbol	SLC28A1
Synonyms	CNT1; HCNT1; sodium/nucleoside cotransporter 1; Na(+)/nucleoside cotransporter 1; solute carrier family 28 member 1; concentrative nucleoside transporter 1; sodium-coupled nucleoside transporter 1; solute carrier family 28 (sodium-coupled nucleoside transporter), member 1
Gene ID	9154
mRNA Refseq	NM_004213
Protein Refseq	NP_004204
MIM	606207
Chromosome Location	15q25.3
Pathway	SLC-mediated transmembrane transport, organism-specific biosystem; Transport of nucleosides and free purine and pyrimidine bases across the plasma membrane, organism-specific biosystem; Transport of vitamins, nucleosides, and related molecules, organism-specific biosystem

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Function

nucleoside binding; nucleoside transmembrane transporter activity;
nucleoside:sodium symporter activity

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA