

Active Recombinant Rat FCGRT&B2M protein, His-Avi-tagged, Biotinylated

Cat. No. FCGRT & B2M-1828R **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Biotinylated Active Recombinant Rat FCGRT&B2M protein(P13599(FCGRT) & P07151(B2M))(Ala23-Ser298 (FCGRT) & Ile21-Met119 (B2M)) is expressed from HEK293 with His tag at the C-terminus.
Species	Rat
Source	HEK293
ProteinLength	23-298 aa(FCGRT) & 21-119 aa(B2M)
Conjugation/Label	Biotin
Form	Lyophilized from 0.22 µm filtered solution in PBS (pH 7.4).
Bio-activity	Biotinylated Rat FcRn, His Tag captured on CM5 Chip via Anti-His Antibody can bind Trastuzumab with an affinity constant of 5.08 nM as determined in SPR assay (Biacore T200).
Molecular Mass	The protein has a predicted MW of 33.9 kDa (FCGRT) and 11.63 kDa (B2M). Due to glycosylation, the protein migrates to 45-60 kDa (FCGRT) and 12-14 kDa (B2M) based on Bis-Tris PAGE result.
Endotoxin	Less than 1 EU per µg by the LAL method.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Purity	> 95% as determined by Bis-Tris PAGE > 95% as determined by HPLC
Storage	-20 to -80°C for 12 months as supplied from date of receipt. -80°C for 3 months after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Reconstitution	Dissolve the lyophilized protein in distilled water.
GENE INFORMATION	
Gene Name	Fcgrt Fc fragment of IgG, receptor, transporter, alpha [Rattus norvegicus]
Official Symbol	FCGRT
Gene ID	FCGRT; Fc fragment of IgG, receptor, transporter, alpha; IgG receptor FcRn large subunit p51; neonatal Fc receptor; Fc fragment immunoglobulin G receptor; Fc receptor, IgG, alpha chain transporter; igG Fc fragment receptor transporter alpha chain; FcRn;
mRNA Refseq	http://www.ncbi.nlm.nih.gov/gene/29558
Protein Refseq	http://www.ncbi.nlm.nih.gov/nucore/NM_033351.1
MIM	http://www.ncbi.nlm.nih.gov/protein/NP_203502.1
Gene Name 2	B2m beta-2 microglobulin [Rattus norvegicus]
Official Symbol 2	B2M
Synonyms 2	B2M; beta-2 microglobulin; beta-2-microglobulin;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

Gene ID 2 24223


mRNA Refseq 2 NM_012512

Protein Refseq 2 NP_036644

Bis-Tris PAGE



SPR Data



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA