Recombinant Human SFRS1 293 Cell Lysate

Cat. No. SRSF1-1910HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	
Species	Human
Source	HEK293
Description	Antigen standard for splicing factor, arginine/serine-rich 1 (SFRS1), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	SRSF1 serine/arginine-rich splicing factor 1 [Homo sapiens]
Official Symbol	SRSF1
Synonyms	ASF; SF2; SFRS1; SF2p33; SRp30a; serine/arginine-rich splicing factor 1; splicing factor 2; SR splicing factor 1; alternative-splicing factor 1; pre-mRNA-splicing factor SF2, P33 subunit; splicing factor, arginine/serine-rich, 30-KD, A
Gene ID	6426
mRNA Refseq	NM_006924
Protein Refseq	NP_008855
MIM	600812
UniProt ID	Q07955
Chromosome Location	17q22
Pathway	Cleavage of Growing Transcript in the Termination Region, organism-specific biosystem; RNA Polymerase II Transcription, organism-specific biosystem; Transport of Mature mRNA derived from an Intron-Containing Transcript, organism-specific biosystem

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

Function	RNA binding; mRNA binding; poly(A) RNA binding

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA