Recombinant Human SET 293 Cell Lysate

Cat. No. SET-1928HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	
Species	Human
Source	HEK293
Description	Antigen standard for SET nuclear oncogene (SET), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	SET SET nuclear oncogene [Homo sapiens]
Official Symbol	SET
Synonyms	SET; SET nuclear oncogene; SET translocation (myeloid leukemia associated); protein SET; 2PP2A; IPP2A2; PHAPII; protein phosphatase type 2A inhibitor; Template Activating Factor I; chromatin remodelling factor; HLA-DR-associated protein II; phosphatase 2A inhibitor I2PP2A; inhibitor-2 of protein phosphatase-2A; inhibitor of granzyme A-activated DNase; SET translocation (myeloid leukemia-associated); Template-Activating Factor-I, chromatin remodelling factor; IGAAD; TAF-I; I2PP2A; TAF-IBETA;
Gene ID	6418
mRNA Refseq	NM_001122821
Protein Refseq	NP_001116293
MIM	600960
UniProt ID	Q01105
Chromosome Location	9q34

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway	Gene Expression, organism-specific biosystem; Regulation of mRNA Stability by Proteins that Bind AU-rich Elements, organism-specific biosystem; Stabilization of mRNA by HuR, organism-specific biosystem;
Function	histone binding; protein binding; protein phosphatase inhibitor activity; protein phosphatase type 2A regulator activity;

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA