

Recombinant Human Ciliary Neurotrophic Factor, His-tagged

Cat. No. CNTF-08H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Recombinant human CNTF, fused to His-tag at N-terminus, was expressed in <i>E.coli</i> and purified by using conventional chromatography techniques (220 aa, 25 kDa).
Species	Human
Source	<i>E.coli</i>
Description	CNTF (Ciliary neurotrophic factor) is a polypeptide hormone whose actions appear to be restricted to the nervous system where it promotes neurotransmitter synthesis and neurite outgrowth in certain neuronal populations. This protein is a potent survival factor for neurons and oligodendrocytes and may be relevant in reducing tissue destruction during inflammatory attacks. CNTF protein is structurally related to leukemia inhibitory factor (LIF), interleukin-6 (IL-6), interleukin-11 (IL-11) and oncostatin M (OSM). It is localized in the cell nucleus subsequent to receptor binding.
Formulation	Liquid. In 20 mM Tris-HCl buffer (pH 8.0) containing 1 mM DTT.
Molecular Weight	25 kDa (220 aa).
Purity	> 95% by SDS – PAGE.
Concentration	1 mg/ml (determined by Bradford assay).
Amino acid	MGSSHHHHHH SSGLVPRGSH MAFTEHSPLT PHRRDLCSRS IWLARKIRSD

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

sequence	LTALTESYVK HQGLNKNINL DSADGMPVAS TDQWSELTEA ERLQENLQAY RTFHVLLARL LEDQQVHFTP TEGDFHQAIH TLLLQVAAFA YQIEELMILL EYKIPRNEAD GMPINVGDGG LFEKKLWGLK VLQELSQWTV RSIHDLRFIS SHQTGIPARG SHYIANNKKM
Storage	Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.
GENE INFORMATION	
Gene Name	CNTF ciliary neurotrophic factor [Homo sapiens]
Synonyms	HCNTF; CNTF; Ciliary Neurotrophic Factor; OTTHUMP00000174731; ciliary neurotrophic factor.
Gene ID	1270
mRNA Refseq	NM_000614
Protein Refseq	NP_000605
MIM	118945
UniProt ID	P26441
Chromosome Location	11q12.2
Pathway	Cytokine-cytokine receptor interaction; Jak-STAT signaling pathway.
Function	ciliary neurotrophic factor receptor binding; interleukin-6 receptor binding; protein


 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

binding.

PDBrendering based
on 1cnt. Available
structures: 1cnt.



Tel: 1-631-559-9269 1-516-512-3133

Email: info@creative-biomart.com Fax: 1-631-938-8127

45-1 Ramsey Road, Shirley, NY 11967, USA