

Recombinant Human RARB 293 Cell Lysate

Cat. No. RARB-2514HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for retinoic acid receptor, beta (RARβ), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

RARB retinoic acid receptor, beta [Homo sapiens]

Official Symbol

RARB

Synonyms

RARB; retinoic acid receptor, beta; retinoic acid receptor beta; HAP; NR1B2; RRB2; RAR-beta; RAR-epsilon; HBV-activated protein; retinoic acid receptor beta 2; retinoic acid receptor beta 4; retinoic acid receptor beta 5; hepatitis B virus activated protein; retinoic acid receptor beta variant 1; retinoic acid receptor beta variant 2; retinoic acid receptor, beta polypeptide; nuclear receptor subfamily 1 group B member 2; MGC97363;

Gene ID

5915

mRNA Refseq

NM_000965

Protein Refseq

NP_000956

MIM

180220

UniProt ID

P10826

Chromosome Location

3p24

Pathway

Gene Expression, organism-specific biosystem; Generic Transcription Pathway,

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

organism-specific biosystem; Non-small cell lung cancer, organism-specific biosystem; Non-small cell lung cancer, conserved biosystem; Nuclear Receptor transcription pathway, organism-specific biosystem; Nuclear Receptors, organism-specific biosystem; Nuclear receptors in lipid metabolism and toxicity, organism-specific biosystem;

Function

DNA binding; metal ion binding; receptor activity; retinoic acid receptor activity; sequence-specific DNA binding; sequence-specific DNA binding transcription factor activity; steroid hormone receptor activity; zinc ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA