

Recombinant Human RAMP2 293 Cell Lysate

Cat. No. RAMP2-2536HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for receptor (G protein-coupled) activity modifying protein 2 (RAMP2) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

RAMP2 receptor (G protein-coupled) activity modifying protein 2 [Homo sapiens]

Official Symbol

RAMP2

Synonyms

RAMP2; receptor (G protein-coupled) activity modifying protein 2; receptor (calcitonin) activity modifying protein 2 , receptor activity modifying protein 2; receptor activity-modifying protein 2; CRLR activity-modifying protein 2; receptor activity modifying protein 2; receptor-activity-modifying protein 2; receptor (calcitonin) activity modifying protein 2; calcitonin receptor-like receptor activity modifying protein 2; calcitonin-receptor-like receptor activity-modifying protein 2;

Gene ID

10266

mRNA Refseq

NM_005854

Protein Refseq

NP_005845

MIM

605154

UniProt ID

O60895

Chromosome Location

17q12-q21.1

Pathway

Calcitonin-like ligand receptors, organism-specific biosystem; Class B/2 (Secretin

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

family receptors), organism-specific biosystem; G alpha (s) signalling events, organism-specific biosystem; GPCR downstream signaling, organism-specific biosystem; GPCR ligand binding, organism-specific biosystem; Myometrial Relaxation and Contraction Pathways, organism-specific biosystem; Signal Transduction, organism-specific biosystem;

Function	coreceptor activity; protein binding; protein transporter activity; receptor activity;
-----------------	--

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA