

Recombinant Human PTPN22 293 Cell Lysate

Cat. No. PTPN22-2684HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for protein tyrosine phosphatase, non-receptor type 22 (lymphoid) (PTPN22), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	PTPN22 protein tyrosine phosphatase, non-receptor type 22 (lymphoid) [Homo sapiens]
Official Symbol	PTPN22
Synonyms	PTPN22; protein tyrosine phosphatase, non-receptor type 22 (lymphoid); protein tyrosine phosphatase, non receptor type 8 , PTPN8; tyrosine-protein phosphatase non-receptor type 22; Lyp; Lyp1; Lyp2; lymphoid phosphatase; PEST-domain phosphatase; lymphoid-specific protein tyrosine phosphatase; protein tyrosine phosphatase, non-receptor type 8; hematopoietic cell protein-tyrosine phosphatase 70Z-PEP; LYP; PEP; LYP1; LYP2; PTPN8;
Gene ID	26191
mRNA Refseq	NM_001193431
Protein Refseq	NP_001180360
MIM	600716
UniProt ID	Q9Y2R2
Chromosome Location	1p13.2

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway	T Cell Receptor Signaling Pathway, organism-specific biosystem;
Function	SH3 domain binding; hydrolase activity; kinase binding; protein binding; protein tyrosine phosphatase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA