

Recombinant Human PTGIS 293 Cell Lysate

Cat. No. PTGIS-2709HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for prostaglandin I ₂ (prostaglandin) synthase (PTGIS) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

PTGIS prostaglandin I2 (prostacyclin) synthase [Homo sapiens]

Official Symbol

PTGIS

Synonyms

PTGIS; prostaglandin I2 (prostacyclin) synthase; prostacyclin synthase; CYP8A1; cytochrome P450; family 8; subfamily A; polypeptide 1; PGIS; prostaglandin I2 synthase; cytochrome P450, family 8, subfamily A, polypeptide 1; CYP8; PTGI; MGC126858; MGC126860;

Gene ID

5740

mRNA Refseq

NM_000961

Protein Refseq

NP_000952

MIM

601699

UniProt ID

Q16647

Chromosome Location

20q13

Pathway

Adipogenesis, organism-specific biosystem; Arachidonic acid metabolism, organism-specific biosystem; Arachidonic acid metabolism, conserved biosystem; Biological oxidations, organism-specific biosystem; Cytochrome P450 - arranged by substrate

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

type, organism-specific biosystem; Eicosanoid Synthesis, organism-specific biosystem; Eicosanoids, organism-specific biosystem;

Function

electron carrier activity; heme binding; isomerase activity; metal ion binding; monooxygenase activity; oxidoreductase activity, acting on paired donors, with incorporation or reduction of molecular oxygen; prostaglandin-I synthase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA