Recombinant Human PRKAG1 293 Cell Lysate

Cat. No. PRKAG1-2865HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview	
Species	Human
Source	HEK293
Description	Antigen standard for protein kinase, AMP-activated, gamma 1 non-catalytic subunit (PRKAG1), transcript variant 1 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

Applications	ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name	PRKAG1 protein kinase, AMP-activated, gamma 1 non-catalytic subunit [Homo sapiens]
Official Symbol	PRKAG1
Synonyms	PRKAG1; protein kinase, AMP-activated, gamma 1 non-catalytic subunit; 5-AMP-activated protein kinase subunit gamma-1; AMPK gamma1; AMPK gamma-1 chain; 5-AMP-activated protein kinase, gamma-1 subunit; AMPKG; MGC8666;
Gene ID	5571
mRNA Refseq	NM_002733
Protein Refseq	NP_002724
MIM	602742
UniProt ID	P54619
Chromosome Location	12q12-q14
Pathway	AMPK signaling, organism-specific biosystem; Adipocytokine signaling pathway, organism-specific biosystem; Adipocytokine signaling pathway, conserved biosystem; Energy Metabolism, organism-specific biosystem; Energy dependent regulation of

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA

	mTOR by LKB1-AMPK, organism-specific biosystem; Hypertrophic cardiomyopathy (HCM), organism-specific biosystem; Hypertrophic cardiomyopathy (HCM), conserved biosystem;
Function	ADP binding; AMP binding; contributes_to AMP-activated protein kinase activity; AMP-activated protein kinase activity; ATP binding; cAMP-dependent protein kinase activity; cAMP-dependent protein kinase regulator activity; nucleotide binding; protein binding; protein kinase binding;

Tel: 1-631-559-9269 1-516-512-3133
Email: info@creative-biomart.com Fax: 1-631-938-8127
45-1 Ramsey Road, Shirley, NY 11967, USA