

Recombinant Human PPM1B 293 Cell Lysate

Cat. No. PPM1B-2962HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for protein phosphatase 1B (formerly 2C), magnesium-dependent, beta isoform (PPM1B), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

PPM1B protein phosphatase, Mg²⁺/Mn²⁺ dependent, 1B [Homo sapiens]

Official Symbol

PPM1B

Synonyms

PPM1B; protein phosphatase, Mg²⁺/Mn²⁺ dependent, 1B; protein phosphatase 1B (formerly 2C), magnesium dependent, beta isoform; protein phosphatase 1B; PP2CB; PP2CBETA; PPC2BETAX; protein phosphatase 2C; beta isoform; PP2C-beta; protein phosphatase 2C isoform beta; protein phosphatase 2C-like protein; protein phosphatase 1B (formerly 2C), magnesium-dependent, beta isoform; PP2C-beta-X; MGC21657;

Gene ID

5495

mRNA Refseq

NM_177968

Protein Refseq

NP_808907

MIM

603770

UniProt ID

O75688

Chromosome Location

2p22.1

Pathway

Antiviral mechanism by IFN-stimulated genes, organism-specific biosystem; Cytokine

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Signaling in Immune system, organism-specific biosystem; ISG15 antiviral mechanism, organism-specific biosystem; Immune System, organism-specific biosystem; Interferon Signaling, organism-specific biosystem; MAPK signaling pathway, organism-specific biosystem; MAPK signaling pathway, organism-specific biosystem;

Function

hydrolase activity; magnesium ion binding; manganese ion binding; protein binding; protein serine/threonine phosphatase activity; protein serine/threonine phosphatase activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA