

Recombinant Human POP7 293 Cell Lysate

Cat. No. POP7-3009HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for processing of precursor 7, ribonuclease P/MRP subunit (S. cerevisiae) (POP7) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name POP7 processing of precursor 7, ribonuclease P/MRP subunit (*S. cerevisiae*) [*Homo sapiens*]

Official Symbol POP7

Synonyms POP7; processing of precursor 7, ribonuclease P/MRP subunit (*S. cerevisiae*); processing of precursor 7, ribonuclease P subunit (*S. cerevisiae*); ribonuclease P protein subunit p20; RPP2; RPP20; hPOP7; RNaseP protein p20; ribonucleases P/MRP protein subunit POP7 homolog; processing of precursor 7, ribonuclease P subunit; POP7 (processing of precursor, *S. cerevisiae*) homolog; 0610037N12Rik;

Gene ID 10248

mRNA Refseq NM_005837

Protein Refseq NP_005828

MIM 606113

UniProt ID O75817

Chromosome Location 7q22

Pathway RNA transport, organism-specific biosystem; RNA transport, conserved biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Ribosome biogenesis in eukaryotes, organism-specific biosystem; Ribosome biogenesis in eukaryotes, conserved biosystem;

Function

hydrolase activity; protein binding; ribonuclease P activity;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA