

Recombinant Human POP1 293 Cell Lysate

Cat. No. POP1-3012HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for processing of precursor 1, ribonuclease P/MRP subunit (S. cerevisiae) (POP1), transcript variant 3 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

POP1 processing of precursor 1, ribonuclease P/MRP subunit (*S. cerevisiae*) [*Homo sapiens*]

Official Symbol

POP1

Synonyms

POP1; processing of precursor 1, ribonuclease P/MRP subunit (*S. cerevisiae*); ribonucleases P/MRP protein subunit POP1; processing of precursors 1; hPOP1; KIAA0061; MGC17365;

Gene ID

10940

mRNA Refseq

NM_001145860

Protein Refseq

NP_001139332

MIM

602486

UniProt ID

Q99575

Chromosome Location

8q22.2

Pathway

RNA transport, organism-specific biosystem; RNA transport, conserved biosystem; Ribosome biogenesis in eukaryotes, organism-specific biosystem; Ribosome biogenesis in eukaryotes, conserved biosystem;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Function

hydrolase activity; protein binding; ribonuclease MRP activity; ribonuclease P activity;

 Tel: 1-631-559-9269 1-516-512-3133 Email: info@creative-biomart.com  Fax: 1-631-938-8127 45-1 Ramsey Road, Shirley, NY 11967, USA