

Recombinant Human POLR3K 293 Cell Lysate

Cat. No. POLR3K-3020HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for polymerase (RNA) III (DNA directed) polypeptide K, 12.3 kDa (POLR3K) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

POLR3K polymerase (RNA) III (DNA directed) polypeptide K, 12.3 kDa [Homo sapiens]

Official Symbol

POLR3K

Synonyms

POLR3K; polymerase (RNA) III (DNA directed) polypeptide K, 12.3 kDa; polymerase (RNA) III (DNA directed) polypeptide K (12.3 kDa); DNA-directed RNA polymerase III subunit RPC10; RPC11; RNA polymerase III subunit C10; RNA polymerase III subunit C11; RNA polymerase III subunit CII; RNA polymerase III 12.5 kDa subunit; RNA polymerase III subunit (hRPC11); DNA-directed RNA polymerase III subunit K; DNA-directed RNA polymerases III 12.5 kDa polypeptide; C11; My010; RPC10; hRPC11; RPC12.5; C11-RNP3;

Gene ID

51728

mRNA Refseq

NM_016310

Protein Refseq

NP_057394

MIM

606007

UniProt ID

Q9Y2Y1

Chromosome Location

16p13.3

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway	Cytosolic DNA-sensing pathway, organism-specific biosystem; Cytosolic DNA-sensing pathway, conserved biosystem; Eukaryotic Transcription Initiation, organism-specific biosystem; Gene Expression, organism-specific biosystem; Metabolic pathways, organism-specific biosystem; Purine metabolism, organism-specific biosystem; Purine metabolism, conserved biosystem;
Function	DNA binding; DNA-directed RNA polymerase activity; metal ion binding; zinc ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA