

Recombinant Human POLR2L 293 Cell Lysate

Cat. No. POLR2L-3027HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for polymerase (RNA) II (DNA directed) polypeptide L, 7.6kDa (POLR2L) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name [POLR2L polymerase \(RNA\) II \(DNA directed\) polypeptide L, 7.6kDa \[Homo sapiens \]](#)

Official Symbol POLR2L

Synonyms

POLR2L; polymerase (RNA) II (DNA directed) polypeptide L, 7.6kDa; polymerase (RNA) II (DNA directed) polypeptide L (7.6kD); DNA-directed RNA polymerases I, II, and III subunit RPABC5; hRPB7.6; hsRPB10b; RBP10; RPABC5; RPB7.6; RPB10beta; RPB10 homolog; RNA polymerase II 7.6 kDa subunit; DNA-directed RNA polymerase III subunit L; RNA polymerases I, II, and III subunit ABC5; RPB10;

Gene ID [5441](#)

mRNA Refseq [NM_021128](#)

Protein Refseq [NP_066951](#)

MIM [601189](#)

UniProt ID [P62875](#)

Chromosome Location 11p15

Pathway

Abortive elongation of HIV-1 transcript in the absence of Tat, organism-specific biosystem; Cytosolic DNA-sensing pathway, organism-specific biosystem; Cytosolic

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

DNA-sensing pathway, conserved biosystem; DNA Repair, organism-specific biosystem; Disease, organism-specific biosystem; Dual incision reaction in TC-NER, organism-specific biosystem; Formation of HIV-1 elongation complex containing HIV-1 Tat, organism-specific biosystem;

Function

DNA binding; DNA-directed RNA polymerase activity; metal ion binding; contributes_to protein kinase activity; zinc ion binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA