

Recombinant Human PIK3CD 293 Cell Lysate

Cat. No. PIK3CD-3187HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for phosphoinositide-3-kinase, catalytic, delta polypeptide (PIK3CD) is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

PIK3CD phosphoinositide-3-kinase, catalytic, delta polypeptide [Homo sapiens]

Official Symbol

PIK3CD

Synonyms

PIK3CD; phosphoinositide-3-kinase, catalytic, delta polypeptide; phosphatidylinositol-4,5-bisphosphate 3-kinase catalytic subunit delta isoform; p110D; phosphatidylinositol 3 kinase; catalytic; delta polypeptide; phosphoinositide 3 kinase C; PI3Kdelta; phosphoinositide-3-kinase C; PI3-kinase p110 subunit delta; ptdIns-3-kinase subunit p110-delta; phosphoinositide-3-kinase, catalytic, delta polypeptide variant p37delta; phosphatidylinositol-4,5-bisphosphate 3-kinase 110 kDa catalytic subunit delta; PI3K; P110DELTA;

Gene ID

5293

mRNA Refseq

NM_005026

Protein Refseq

NP_005017

MIM

602839

UniProt ID

O00329

**Chromosome
Location**

1p36.2

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway

3-phosphoinositide biosynthesis, organism-specific biosystem; 3-phosphoinositide biosynthesis, conserved biosystem; Acute myeloid leukemia, organism-specific biosystem; Acute myeloid leukemia, conserved biosystem; Adaptive Immune System, organism-specific biosystem; Aldosterone-regulated sodium reabsorption, organism-specific biosystem; Aldosterone-regulated sodium reabsorption, conserved biosystem;

Function

1-phosphatidylinositol-3-kinase activity; 1-phosphatidylinositol-3-kinase activity; ATP binding; binding; nucleotide binding; phosphatidylinositol 3-kinase activity; phosphatidylinositol-4,5-bisphosphate 3-kinase activity; phosphotransferase activity, alcohol group as acceptor;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA