

Recombinant Human PIGP 293 Cell Lysate

Cat. No. PIGP-3195HCL Lot. No. (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for phosphatidylinositol glycan anchor biosynthesis, class P (PIGP), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION

Gene Name [PIGP phosphatidylinositol glycan anchor biosynthesis, class P \[Homo sapiens \]](#)

Official Symbol PIGP

Synonyms

PIGP; phosphatidylinositol glycan anchor biosynthesis, class P; Down syndrome critical region gene 5 , DSCR5, phosphatidylinositol glycan, class P; phosphatidylinositol N-acetylglucosaminyltransferase subunit P; DCRC; DSRC; phosphatidylinositol n acetylglucosaminyltransferase subunit; PIG-P; Down syndrome critical region gene 5; phosphatidylinositol glycan, class P; Down syndrome critical region protein 5; Down syndrome critical region protein C; phosphatidylinositol-glycan biosynthesis class P protein; phosphatidylinositol-n-acetylglucosaminyltransferase subunit; DSCR5; DCRC-S;

Gene ID [51227](#)

mRNA Refseq [NM_153681](#)

Protein Refseq [NP_710148](#)

MIM [605938](#)

UniProt ID [P57054](#)

Chromosome Location 21q22.2

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Pathway

Glycosylphosphatidylinositol(GPI)-anchor biosynthesis, organism-specific biosystem;
Glycosylphosphatidylinositol(GPI)-anchor biosynthesis, conserved biosystem;
Metabolic pathways, organism-specific biosystem; Metabolism of proteins, organism-specific biosystem; Post-translational modification: synthesis of GPI-anchored proteins, organism-specific biosystem; Post-translational protein modification, organism-specific biosystem; Synthesis of glycosylphosphatidylinositol (GPI), organism-specific biosystem;

Function

contributes_to phosphatidylinositol N-acetylglucosaminyltransferase activity;
transferase activity, transferring glycosyl groups;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA