

Recombinant Human PICK1 293 Cell Lysate

Cat. No. PICK1-3198HCL **Lot. No.** (See product label)

SPECIFICATION

Product Overview

Species	Human
Source	HEK293
Description	Antigen standard for protein interacting with PRKCA 1 (PICK1), transcript variant 2 is a lysate prepared from HEK293T cells transiently transfected with a TrueORF gene-carrying pCMV plasmid and then lysed in RIPA Buffer. Protein concentration was determined using a colorimetric assay. The antigen control carries a C-terminal Myc/DDK tag for detection.
Components	This product includes 3 vials: 1 vial of gene-specific cell lysate, 1 vial of control vector cell lysate, and 1 vial of loading buffer. Each lysate vial contains 0.1 mg lysate in 0.1 ml (1 mg/ml) of RIPA Buffer (50 mM Tris-HCl pH7.5, 250 mM NaCl, 5 mM EDTA, 50 mM NaF, 1% NP40). The loading buffer vial contains 0.5 ml 2X SDS Loading Buffer (125 mM Tris-Cl, pH6.8, 10% glycerol, 4% SDS, 0.002% Bromophenol blue, 5% beta-mercaptoethanol).
Size	0.1 mg
Storage Instruction	Store at -80°C. Minimize freeze-thaw cycles. After addition of 2X SDS Loading Buffer, the lysates can be stored at -20°C. Product is guaranteed 6 months from the date of shipment.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Applications

ELISA, WB, IP. WB: Mix equal volume of lysates with 2X SDS Loading Buffer. Boil the mixture for 10 min before loading (for membrane protein lysates, incubate the mixture at room temperature for 30 min). Load 5 ug lysate per lane.

GENE INFORMATION
Gene Name

PICK1 protein interacting with PRKCA 1 [Homo sapiens]

Official Symbol

PICK1

Synonyms

PICK1; protein interacting with PRKCA 1; PRKCABP, protein interacting with PRKCA , protein kinase C, alpha binding protein; PRKCA-binding protein; dJ1039K5; MGC15204; protein interacting with C kinase 1; protein kinase C-alpha-binding protein; PICK; PRKCABP;

Gene ID

9463

mRNA Refseq

NM_001039583

Protein Refseq

NP_001034672

MIM

605926

UniProt ID

Q9NRD5

Chromosome Location

22q13.1

Pathway

Glutamate Binding, Activation of AMPA Receptors and Synaptic Plasticity, organism-specific biosystem; Neuronal System, organism-specific biosystem; Neurotransmitter Receptor Binding And Downstream Transmission In The Postsynaptic Cell, organism-

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

specific biosystem; Trafficking of AMPA receptors, organism-specific biosystem;
Trafficking of GluR2-containing AMPA receptors, organism-specific biosystem;
Transmission across Chemical Synapses, organism-specific biosystem;

Function

ATPase activity; enzyme binding; identical protein binding; metal ion binding; protein
C-terminus binding; protein binding; protein domain specific binding; protein kinase C
binding; receptor binding;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA